# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 2 | "20040137890" and (request$1 or self-activation or pdp) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 17:01 |
| L2 | 2 | "20040137890" and (request$1 or self-activation or pdp) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 17:14 |
| L3 | 1 | "20040137890" and (request$1 or self-activation or pdp) near15 (gateway or portal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 17:18 |
| L4 | 2 | "20040137890" and (request$1 or self-activation or pdp) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 17:18 |
| S115 | 2 | "20030023849" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/08 15:42 |
| S116 | 16501 | provisioning | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/08 15:44 |
| S117 | 977 | provisioning and portal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/08 15:44 |
| S118 | 699 | provisioning and portal and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/08 15:44 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S11 9 | 73 | provisioning and portal near server and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/08 15:45 |
| S12 0 | 20 | provisioning and portal near server and trust$4 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/08 15:45 |
| S12 1 | 1 | (send$4 or transmit$4 or identif$6) near10 apn same url and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 16:34 |
| S12 2 | 0 | trusted near5 apn and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 16:34 |
| S12 3 | 1 | secure$1 near5 apn and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 16:43 |
| S12 4 | 12692 | hlr or vlr apn and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 16:43 |
| S12 5 | 1 | (hlr or vlr) near15 apn same url and apn near15 dns and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 16:45 |
| S12 6 | 12 | (hlr or vlr) near15 apn and apn near15 dns and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 16:45 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S12 7 | 8340 | (hlr or vlr) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:20 |
| S12 8 | 25628491 | (hlr or vlr) and (trust$4 or secure$1) near10 (portal or provision$4)(@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:20 |
| S12 9 | 67 | (hlr or vlr) and (trust$4 or secure$1) near10 (portal or provision$4)and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:21 |
| S13 0 | 3 | (hlr or vlr) same apn$1 and (trust$4 or secure$1) near10 (portal or provision$4)and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:23 |
| S13 1 | 3 | (hlr or vlr) same apn$1 and (trust$4 or secure$1) near15 (portal or provision$4)and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:23 |
| S13 2 | 0 | (hlr or vlr) same apn$1 and (trust$4 or secure$1) near10 apn and (portal or provision$4)and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:23 |
| S13 3 | 0 | (hlr or vlr) same (trust$4 or secure$1) near10 apn$1 and (portal or provision$4)and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:24 |
| S13 4 | 23 | (hlr or vlr) near15 apn$1 and (portal or provision$4)and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:35 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S13 5 | 21 | url and url near15 dns and (trust$2 or secure$2) near10 dns and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:37 |
| S13 6 | 12 | url and url near15 dns and (trust$2 or secure$2) near10 dns and (wireless or mobile) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:40 |
| S13 7 | 0 | url and url near15 dns and (trust$2 or secure$2) near10 dns and apn$1 and (wireless or mobile) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:40 |
| S13 8 | 0 | url and url near15 dns and (trust$2 or secure$2) near10 apn$1 and (wireless or mobile) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:40 |
| S13 9 | 2 | url and url near15 dns and apn$1 and (wireless or mobile) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:46 |
| S14 0 | 18 | redirect$4 near10 url near15 portal and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:47 |
| S14 1 | 0 | redirect$4 near10 url near15 portal and (trust$2 or secure$2) near15 redirect$4 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 11:47 |
| S14 2 | 15 | redirect$4 near10 url near15 portal and (trust$2 or secure$2) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:57 |

| S14 3 | 9 | redirect$4 near10 url near15 portal and (trust$2) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:58 |
|---|---|---|---|---|---|---|
| S14 4 | 32775 | redirect$4 near10 urland (trust$2) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:58 |
| S14 5 | 294 | redirect$4 near10 url and (trust$2) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:58 |
| S14 6 | 0 | redirect$4 near10 url and (trust$2) near3 apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:58 |
| S14 7 | 0 | redirect$4 near10 url and (trust$2) near10 apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:58 |
| S14 8 | 0 | redirect$4 near10 url and (trust$2) and apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 12:59 |
| S14 9 | 3 | redirect$4 near10 url and (trust$2) near3 dns and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:00 |
| S15 0 | 0 | redirect$4 near10 (trust$2) near15 apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:01 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S15 1 | 0 | (trust$2) near15 apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:01 |
| S15 2 | 43 | (trust$2) and apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:01 |
| S15 3 | 13 | (trust$2) and hlr and apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:01 |
| S15 4 | 13 | (trust$2) and (hlr or vlr) and apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:08 |
| S15 5 | 0 | (trust$2) near15 apn$1 and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:09 |
| S15 6 | 65 | (send$4 or receiv$4 or transmit$4) near15 apn$1 near15 (station or user or terminal or device) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 13:10 |
| S15 7 | 5 | hlr near15 (send$4 or receiv$4 or transmit$4) near15 apn$1 near15 (station or user or terminal or device) and (@ad<"20040113" or @rlad<"20040113") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/24 17:00 |